Notice of Allowability	Application No.	ation No. Applicant(s)	
	10/051,463	,463 ROBERTS ET AL.	
	Examiner	Art Unit	
	Elli Peselev	1623	
The MAILING DATE of this communication apperation All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED i or other appropriate comm GHTS. This application is	n this application. If not included unication will be mailed in due course.	THIS initiative
1. \boxtimes This communication is responsive to <u>the interview of August</u>	<u>st 12, 2004</u> .		
2. The allowed claim(s) is/are <u>1,2,9-13,17,19 and 20</u> .			
3. \square The drawings filed on $___$ are accepted by the Examine	r.		
4. Acknowledgment is made of a claim for foreign priority una All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have international Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" on the delow. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the post attached Examiner's comment regarding REQUIREMENT is a contraction of the depost attached Examiner's comment regarding REQUIREMENT is a contraction of the depost attached Examiner's comment regarding REQUIREMENT is a contraction of the depost attached Examiner's comment regarding REQUIREMENT is a contraction of the depost attached Examiner's comment regarding REQUIREMENT is a contraction of the depost attached Examiner's comment regarding REQUIREMENT is a contraction of the depost attached Examiner's comment regarding REQUIREMENT is a contraction of the depost attached Examiner's comment regarding REQUIREMENT is a contraction of the depost attached Examiner's comment regarding REQUIREMENT is a contraction of the depost attached Examiner's comment regarding REQUIREMENT is a contraction of the depost attached Examiner's comment regarding REQUIREMENT is a contraction of the depost attached Examiner's comment regarding REQUIREMENT is a contraction of the depost attached Examiner's comment regarding REQUIREMENT is a contraction of the depost attached Examiner's comment at a	been received. been received in Application cuments have been received of this communication to file ENT of this application. itted. Note the attached EX as reason(s) why the oath of the submitted. on's Patent Drawing Review as Amendment / Comment of the header according to 37 Cl sit of BIOLOGICAL MAT	on No d in this national stage application from a reply complying with the requirement AMINER'S AMENDMENT or NOTICE r declaration is deficient. W (PTO-948) attached r in the Office action of the drawings in the front (not the back) of R 1.121(d). ERIAL must be submitted. Note the	ents OF
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview S Paper No. 8), 7. ⊠ Examiner's	formal Patent Application (PTO-152) ummary (PTO-413), //Mail Date Amendment/Comment Statement of Reasons for Allowance ELLI PESELEV PRIMARY EXAMINER GROUP 1800	

Application/Control Number: 10/051,463

Art Unit: 1623

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Janell Cleveland on August 12, 2004.

The application has been amended as follows:

Specification, page 1, line 6: after the terminology "09/485321,", the terminology --- now U.S. Patent No. 6,340,746 B1 --- has been inserted.

Claims 16 and 18 have been cancelled.

Claims 17 and 19, line 1: the terminology "(1)" and "chemo- or" has been deleted.

Claims 17 and 19: lines 2-5: the terminology ", (2) improving cardiovascular function, (3) preventing mutagenesis, (4) preventing the initiation and/or progression of cancer, (5) reducing toxic consequiences of planned or unplanned radiation or chemical exposures, (6) slowing the aging process, or (7) preventing cataract formation" has been deleted.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elli Peselev whose telephone number is (571) 272-0659. The examiner can normally be reached on 9.00-5.30.

Application/Control Number: 10/051,463

Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 1623

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Wilson can be reached on (571) 272-0661. The fax phone number

for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Elli Peselev

ELLI PESELEV PRIMARY EXAMINER GROUP 1800